

X06SR

INTERIOR

Spotlight | For ceilings, walls & counters

● Dry location



Ordering Information

Clear Form

Date : _____

Quantity : _____

Project : _____

Note : _____

Type : _____

Specifications

Luminaire | Example Code: X06-SR-1-MC

Product	Mounting	Stem Length	Finish ¹
X06	SR		
	SR single rail	1 = 1" (25mm) X custom ²	Aluminum Finishes: MC matte chrome BA black

System Components (Ordered Separately)

Remote Driver : _____

* Consult MP Lighting Website or Factory.

Important Notes

Specification

1. Refer to Appendix or MP Lighting website for complete look of luminaire with different finish options.
2. Available in 1" (25mm) increments, maximum length 96" (2438mm).

Warranty Notes & Disclaimer

Malfunction and damage to product due to incompatible dimming system or misuse will not be covered under warranty. Consult MP Lighting for recommended drivers. If the fixture has an option to be installed with a dimming control system, consult a dimming system manufacturer with minimum load before installing. MP Lighting reserves the right, at its sole discretion, at any time and without notice, to make design changes to any of our products. Consult MP Lighting website for most updated documentation.

X06SR

INTERIOR

Spotlight | For ceilings, walls & counters

- Dry location



Application

Environment	Dry Location approved. IP 20.
Mounting	SR: Rotatable and easy to position. Designed for use on MP single rail (SR) rail system (sold separately).

Luminaire Construction

LED Light Source	Lamp supplied by others. Recommended: MR16, 50 W max or LED MR16 (SORAA lamp) 10W max.
Weight	N/A
Material	Fixture: Machined aluminum with electroplated finish.
Supplied with	Standard installation housing: Comes with an adapter plate, two #8-32 screws, and wire nuts.
Warranty & LED Life	5 years limited warranty. Estimated useful life of LED is 50,000 hours.


Ordered Separately

System Components	Lamp.
-------------------	-------

Mounting Options & Dimensions

LED Fixture Dimensions

Fixture



3D View




Beam (with lamp supplied by others)



SR


Single Rail



Fixture with Single Rail



Dimensions



Appendix

Aluminum Finishes



MC matte chrome



BA black