# **X31DC**

#### **INTERIOR**

Spotlight | For ceilings, walls & counters

Dry location





Ordering Information Clear Form					
Date :				Quantity:	
Project	:			Note :	
Type:					
Specifications					
Luminaire   Example Code: X31-DC-17-MC					
Product	Mounting	Antenna	Finish <sup>1</sup>		
X31	DC		MC		
	DC dual circuit	<b>17</b> 9-3/4" to 16-1/2" (248mm to 419mm)	Aluminum Finishes: MC matte chrome		
System Components (Ordered Separately)					
Remote Driver:				* Consult MP Lighting Website or Factory.	
				-	
Important Notes Specification					
<ol> <li>Refer to Appendix or MP Lighting website for complete look of luminaire with different finish options.</li> </ol>					
Warranty Notes & Disclaimer					
Malfunction and damage to product due to incompatible dimming system or misuse will not be covered under warranty. Consult MP Lighting for recommended drivers. If the fixture has an option to be					

make design changes to any of our products. Consult MP Lighting website for most updated documentation.

## X06DC

#### **INTERIOR**

Spotlight | For ceilings, walls & counters

Dry location





#### Application

Environment Dry Location approved. IP 20.

Mounting DC: Rotatable and easy to position. Designed for use on MP dual circuit (DC) (sold separately).

#### Luminaire Construction

LED Light Source Lamp supplied by others.

Recommended: MR16, 50 W max or LED MR16 (SORAA lamp) 10W max.

Weight N/A

Material Fixture: Machined aluminum with electroplated finish.

Supplied with Standard installation housing: Comes with an adapter plate, two #8-32 screws, and wire nuts.

Warranty & LED Life 5 years limited warranty.


Estimated useful life of LED is 50,000 hours.

#### Ordered Separately

System Components Lamp.

### Mounting Options & Dimensions


#### **LED Fixture Dimensions**



Beam (with lamp supplied by others)



DC



Fixture with Dual Circuit



Dimensions



### Appendix

# Aluminum Finishes



MC matte chrome