X31SF

INTERIOR

Spotlight | For ceilings, walls & counters

Dry location





Ordering Information Clear Form						
Date :				Quantity:		
Project	:			Note:		
Type:						
				_		
Specifications						
Luminaire Example Code: X31-SF-X-MC						
Product	Mounting	Antenna	Finish ¹			
X31	SF		мс			
	SF single rail flushed to wall	17 9-3/4" to 16-1/2" (248mm to 419mm)	Aluminum Finishes: MC matte chrome			
System Components (Ordered Separately)						
Remote	Driver :			* Consult MP Light	ting Website or Factory.	
Important Notes Consideration						
Specification 1. Refer to Appendix or MP Lighting website for complete look of luminaire with different finish options.						
орион						

Malfunction and damage to product due to incompatible dimming system or misuse will not be covered under warranty. Consult MP Lighting for recommended drivers. If the fixture has an option to be installed with a dimming control system, consult a dimming system manufacturer with minimum load before installing. MP Lighting reserves the right, at its sole discretion, at any time and without notice, to make design changes to any of our products. Consult MP Lighting website for most updated documentation.

Warranty Notes & Disclaimer

X31SF

INTERIOR

Spotlight | For ceilings, walls & counters

Dry location





Application

Environment Dry Location approved. IP 20.

Mounting SF: Rotatable and easy to position. Designed for use on MP single rail flush wall (SF) rail system (sold separately).

Luminaire Construction

LED Light Source Lamp supplied by others.

Recommended: MR16, 50 W max or LED MR16 (SORAA lamp) 10W max.

Weight N/A

Material Fixture: Machined aluminum with electroplated finish.

Supplied with Standard installation housing: Comes with an adapter plate, two #8-32 screws, and wire nuts.

Warranty & LED Life 5 years limited warranty.

Estimated useful life of LED is 50,000 hours.

Ordered Separately


System Components Lamp.

Mounting Options & Dimensions

LED Fixture Dimensions

3D View Beam (with lamp supplied by others) Fixture - 17" / 432mm max. -2-3/8"

SF



Appendix

Aluminum Finishes



MC matte chrome