# **X31SR**

#### **INTERIOR**

Spotlight | For ceilings, walls & counters

Dry location





				S	
Order	Clear Form				
Date:				Quantity:	
Project :				Note:	
Type:					
Specifications					
Luminaire   Example Code: X31-SR-X-MC					
Product	Mounting	Antenna	Finish <sup>1</sup>		
X31	SR		MC		
	SR single rail	<b>17</b> 9-3/4" to 16-1/2" (248mm to 419mm)	Aluminum Finishes: MC matte chrome		
System Components (Ordered Separately)					
Remote Driver :				* Consult MP Lighting Website or Factory.	
lmnort	tont Notes				
Important Notes					
<ul><li>Specification</li><li>Refer to Appendix or MP Lighting website for complete look of luminaire with different finish options.</li></ul>					

Malfunction and damage to product due to incompatible dimming system or misuse will not be covered under warranty. Consult MP Lighting for recommended drivers. If the fixture has an option to be installed with a dimming control system, consult a dimming system manufacturer with minimum load before installing. MP Lighting reserves the right, at its sole discretion, at any time and without notice, to make design changes to any of our products. Consult MP Lighting website for most updated documentation.

Warranty Notes & Disclaimer

# **X31SR**

#### **INTERIOR**

Spotlight | For ceilings, walls & counters

Dry location





## Application

Environment Dry Location approved. IP 20.

Mounting SR: Rotatable and easy to position. Designed for use on MP single rail (SR) rail system (sold separately).

#### Luminaire Construction

LED Light Source Lamp supplied by others.

Recommended: MR16, 50 W max or LED MR16 (SORAA lamp) 10W max.

Weight N/A

Material Fixture: Machined aluminum with electroplated finish.

Supplied with Standard installation housing: Comes with an adapter plate, two #8-32 screws, and wire nuts.

Warranty & LED Life 5 years limited warranty.

Estimated useful life of LED is 50,000 hours.

### **Ordered Separately**

System Components Lamp.

# Mounting Options & Dimensions

#### **LED Fixture Dimensions**





# Appendix

