[∽] MPLIGHTING

X42SF
INTERIOR Spotlight For ceilings, walls & counters
• Dry location
ୁଞ୍ଜି ୧୧



Ordering Information		Clear Form
Date :	Quantity :	
Project :	- Note :	
Туре :	-	
	-	

Specifications

Luminaire | Example Code: X42-SF-X-MC

Product	Mounting	Stem Length	Finish ¹
X42	SF		МС
	SF single rail flushed to wall	2 = 2" (51mm) X custom ²	Aluminum Finishes: MC matte chrome

System Components (Ordered Separately)

Remote Driver :

* Consult MP Lighting Website or Factory.

Important Notes

Specification

- Refer to Appendix or MP Lighting website for complete look of luminaire with different finish options.
- 2. Available in 1" (25mm) increments, maximum length 96" (2438mm).

Warranty Notes & Disclaimer

Malfunction and damage to product due to incompatible dimming system or misuse will not be covered under warranty. Consult MP Lighting for recommended drivers. If the fixture has an option to be installed with a dimming control system, consult a dimming system manufacturer with minimum load before installing. MP Lighting reserves the right, at its sole discretion, at any time and without notice, to make design changes to any of our products. Consult MP Lighting website for most updated documentation.

[∽] MPLIGHTING

X42SF	
INTERIOR Spotlight For ceilings, walls & counters • Dry location	
ુ∰્ ૮€	

Lamp.



Application	
Environment	Dry Location approved. IP 20.
Mounting	SF: Rotatable and easy to position. Designed for use on MP single rail flush wall (SF) rail system (sold separately).
Luminaire Construction	
LED Light Source	Lamp supplied by others. Recommended: MR16, 50 W max or LED MR16 (SORAA lamp) 10W max.
Weight	N/A
Material	Fixture: Machined aluminum with electroplated finish.
Supplied with	Standard installation housing: Comes with an adapter plate, two #8-32 screws, and wire nuts.
Warranty & LED Life	5 years limited warranty. Estimated useful life of LED is 50,000 hours.
Ordered Separately	


System Components

MP Lighting © | www.mplighting.com | info@mplighting.com | 604.708.1184

[∽] MPLIGHTING

Mounting Options & Dimensions

LED Fixture Dimensions



Beam (with lamp supplied by others)



SF




Fixture with Single Rail Flush







Dimensions



Appendix

Aluminum Finishes



MC matte chrome